

Contents of Volume 64

Number 1

- 1 An improved model to predict energy-based acoustic parameters in Apulian-Romanesque churches
E. CIRILLO & F. MARTELOTTA (Italy)
- 25 Second generation wavelet transform-based pitch period estimation and voiced/unvoiced decision for speech signals
E. ERÇELEBI (Turkey)
- 43 Sampling techniques for the estimation of the annual equivalent noise level under urban traffic conditions
E. GAJA, A. GIMENEZ, S. SANCHO & A. REIG (Spain)
- 55 Application of the modified infinite element method to two-dimensional transient acoustic radiation
L.-X. LI (China), J.-S. SUN & H. SAKAMOTO (Japan)
- 71 Vibration in dwellings from road and rail traffic — Part I: a new Norwegian measurement standard and classification system
I.H. TURUNEN-RISE, A. BREKKE, L. HÅRVIK, C. MADSHUS & R. KLÆBOE (Norway)
- 89 Vibration in dwellings from road and rail traffic — Part II: exposure–effect relationships based on ordinal logit and logistic regression models
R. KLÆBOE, I.H. TURUNEN-RISE, L. HÅRVIK & C. MADSHUS (Norway)
- 111 Vibration in dwellings from road and rail traffic — Part III: towards a common methodology for socio-vibrational surveys
R. KLÆBOE (Norway), E. ÖHRSTRÖM (Sweden), I.H. TURUNEN-RISE (Norway), H. BENDTSEN (Denmark) & H. NYKÄNEN (Finland)

Number 2

- 121 Noise exposure of spectators at Finnish air shows
R. PÄÄKKÖNEN, J. JOKITULPPA, V.-M. HEINIÖJOKI & P. KURONEN (Finland)
- 129 A new approach to assessing the performance of noise indices in buildings
U. AYR, E. CIRILLO, I. FATO & F. MARTELOTTA (Italy)
- 147 The evaluation of binaural playback systems for virtual sound fields
N. PRODI (Italy) & S. VELECKA (Slovakia)

- 163 Active control of double-glazed windows. Part I: Feedforward control
A. JAKOB & M. MÖSER (Germany)
- 183 Active control of double-glazed windows. Part II: Feedback control
A. JAKOB & M. MÖSER (Germany)
- 197 The sound speed and attenuation in loose and consolidated granular formulations of high alumina cements
K.V. HOROSHENKOV, D.C. HUGHES (UK) & A. CWIRZEN (Finland)
- 213 A model for vibration transmission of light-heavy structures
X.M. ZHANG, M. FATEMI, R.R. KINNICK & J.F. GREENLEAF (USA)
- 229 Neural networks for prediction of acoustical properties of polyurethane foams
G.C. GARDNER, M.E. OLEARY, S. HANSEN & J.Q. SUN (USA)

Number 3

- 243 Energetic analysis of an actively controlled one-dimensional acoustic waveguide
L.V. DONADON & J.R.F. ARRUDA (Brazil)
- 269 Design of a pulse generator and shock tube for measuring hearing protector attenuation of high-amplitude impulsive noise
R.S. BIRCH (UK), S.N. GERGES & E.F. VERGARA (Brazil)
- 287 Assessing the effect of a barrier between two rooms subjected to low frequency sound using the boundary element method
A. TADEU & P. SANTOS (Portugal)
- 311 Experimental verification of the optimal tuning of a tunable vibration neutralizer for global vibration control
J. DAYOU (Malaysia) & M.J. BRENNAN (UK)
- 325 Non-resonant sound transmission through double walls using statistical energy analysis
R.J.M. CRAIK (UK)

Technical note

- 343 Noise effects of reducing traffic flow through a Spanish city
J. RAMIS, J. ALBA, D. GARCÍA & F. HERNÁNDEZ (Spain)

Number 4

- 365 Effect of acoustical damping with a porous absorptive layer in the cavity to reduce the structure-borne sound radiation from a double-leaf structure
M. YAIRI, K. SAKAGAMI, M. MORIMOTO, A. MINEMURA & K. ANDOW (Japan)
- 385 Modelling of impervious layers from measurements of the sound reduction index
J. ALBA & J. RAMIS (Spain)
- 401 Simulation of a morning air temperature inversion break-up in complex terrain and the influence on sound propagation on a local scale
L.R. HOLE & G. HAUGE (Norway)

- 415 A new empirical model for the acoustic properties of loose granular media
N.N. VORONINA (Russia) & K.V. HOROSHENKOV (UK)
- 433 On the accuracy of the ray-tracing algorithms based on various sound receiver models
Z. XIANGYANG, C. KEAN & S. JINCAI (PR China)
- 443 Psychological impression and listening score while listening to audio signal under
meaningless steady noise
T. TAMESUE, S. YAMAGUCHI, T. SAEKI & Y. KATO (Japan)
- 459 A fast automatic calibration system for a sound level meter in an anechoic room
Y.T. KIM, Y.B. LEE & M.J. JHO (South Korea)

Number 5

- 471 Improved analysis of the electrically manifested distortions of condenser microphones
M.T. ABUELMA'ATTI (Saudi Arabia)
- 481 Traffic noise reduction due to the porous road surface
R. GOLEBIEWSKI, R. MAKAREWICZ, M. NOWAK & A. PREIS (Poland)
- 495 Parametric study on sound radiation from an infinite fluid-filled/semi-submerged
cylindrical shell
H.L. LI, C.J. WU & X.Q. HUANG (People's Republic of China)
- 511 Stiff light composite panels for duct noise reduction
W.C. TANG & W.Z. LIN (China)

Technical note

- 525 Analysis of sound absorption by periodic structures using a hybrid-boundary element/
mode expansion method
T. FUJIMOTO & K. FUJIWARA (Japan)

Correspondence

- 533 Comments on "An experimental investigation of the directional distribution of incident
energy for the prediction of sound transmission" (*Applied Acoustics* 63 (3), 283–294).
F. FAHY (UK)
- 535 Reply to comments on "An experimental investigation of the directional distribution of
incident energy for the prediction of sound transmission" (*Applied Acoustics* 63 (3),
283–294)
H.-J. KANG (South Korea)
- 539 Comments on reply to comments on H. J. Kang et al. "An experimental investigation on
the directional distribution of incident energy for the prediction of transmission loss"
(*Applied Acoustics* 63 (3), 283–294)
F. FAHY (UK)

I Calendar

Number 6

- 541 On the addition of two incoherent unsteady noise records of similar statistical
structures. Part 2: effects of long time span and diurnal variations
S.K. TANG (China)

- 565 Combustion oscillations in gas fired appliances: Eigen-frequencies and stability regimes
M. ELSARI & A. CUMMINGS (UK)
- 581 Effects of hearing protector devices on speech intelligibility
J. CANDIDO FERNANDES (Brazil)
- 591 An active noise reduction earplug using a piezoelectric laterally radiating loudspeaker
R. BAUER, P. LOTTON, P. HAMERY & A.-M. BRUNEAU (France)
- 611 Study on sound transmission characteristics of a cylindrical shell using analytical and experimental models
J.-H. LEE & J. KIM (USA)

I Calendar

Number 7

- 633 A simple formula for evaluating the acoustic effect of balconies in protecting dwellings against road traffic noise
K.M. LI, W.K. LUI, K.K. LAU & K.S. CHAN (Hong Kong)
- 655 A hybrid model for the acoustic response of a two-dimensional rough surface to an impulse incident from a refracting medium
J.C. NOVARINI, R.S. KEIFFER & G.V. NORTON (USA)
- 669 A piezoelectric array for sensing radiation modes
QIBO MAO, BOLING XU, ZHE JIANG & JIAN GU (People's Republic of China)
- 681 The scaling of acoustic streaming for application in micro-fluidic devices
K.D. FRAMPTON, S.E. MARTIN & K. MINOR (USA)
- 693 Combined effects of admittance optimisation on both barrier and ground
P.J. THORSSON (Sweden)
- 713 An image model for predicting the field performance of acoustic louvres from impulse measurements
E.B. VIVEIROS (Brazil) & B.M. GIBBS (UK)
- 731 Three methods for analyzing forced vibration of a fluid-filled cylindrical shell
M.B. XU (USA)
- 753 Vibration of moderately thick square orthotropic stepped thickness plates
P.V. HULL & G.R. BUCHANAN (USA)

I Calendar

Number 8

- 765 Integration of the efficiency of noise barrier caps in a 3D ray tracing method. Case of a T-shaped diffracting device
J. DEFRANCE & P. JEAN (France)
- 781 A BEM approach to validate a model for predicting sound propagation over non-flat terrain
S. QUIRÓS Y ALPERA (Spain), F. JACOBSEN, P. MØLLER JUHL (Denmark) & V. CUTANDA HENRÍQUEZ (Mexico)

- 793 Prediction of the sound reduction index: a modal approach
T. BUZZI, C. COURNÉ, A. MOULINIER & A. TISSEYRE (France)
- 815 Road traffic noise levels, restrictions and annoyance in Greater Cairo, Egypt
S.A. ALI & A. TAMURA (Japan)
- 825 Comments on 'Absorbing surfaces in ray-tracing programs for coupled spaces'
J.E. SUMMERS (USA)
- 833 Reply to comments on "Absorbing surfaces in ray-tracing programs for coupled spaces"
L. NIJS (The Netherlands), G. JANSENS, G. VERMEIR (Belgium)

I Calendar

Number 9

- 845 The average absorption coefficient for enclosed spaces with non uniformly distributed absorption
J. DUCOURNEAU (France) & V. PLANEAU (France)
- 863 Acoustical design of stages with large plane surfaces in rectangular recital halls
W. CHIANG & Y.-K. SHU (Taiwan, ROC)
- 885 Hybrid active and passive control of fan noise
Y.-J. WONG, R. PAUROBALLY & J. PAN (Australia)
- 903 Comparison and implementation of the various numerical methods used for calculating transmission loss in silencer systems
S. BILAWCHUK & K.R. FYFE (Canada)
- 917 A preliminary study of an isodynamic transducer for use in active acoustic materials
H. LISSEK & X. MEYNIAL (France)

Technical note

- 931 Approximation errors for the measurement of coupling loss factors using the ELD method
R.S. MING & J. PAN (Australia)

I Calendar

Number 10

- 941 Predicting noise from aircraft operated on the ground
O. ZAPOROZHETS, V. TOKAREV (Ukraine) & K. ATTENBOROUGH (UK)
- 955 Vibration transmission between coupled plates using finite element methods and statistical energy analysis.
Part 1: Comparison of measured and predicted data for masonry walls with and without apertures
C. HOPKINS (UK)
- 975 Vibration transmission between coupled plates using finite element methods and statistical energy analysis.
Part 2: The effect of window apertures in masonry flanking walls
C. HOPKINS (UK)

- 999 Effect of inlet duct contour and lack thereof on the noise generated of an axial flow fan
A. MAALOU, S. KOUIDRI, F. BAKIR & R. REY (France)

Technical note

- 1011 Insertion loss testing of active noise reduction headsets using acoustic fixture
J. CUI, A. BEHAR, W. WONG & H. KUNOV (Canada)

I Calendar

Number 11

- 1033 Ray-tracing evaluation of empirical models for predicting noise in industrial workshops
M. HODGSON (Canada)
- 1049 Acoustic-structural interaction analysis using the component mode synthesis method
M.D.C. MAGALHAES & N.S. FERGUSON (UK)
- 1069 Development of an optimised, standard-compliant procedure to calculate sound transmission loss: numerical measurements
C.I. PAPADOPOULOS (Greece)
- 1087 On locating low altitude moving targets using a planar acoustic sensor array
H. CHEN & J. ZHAO (China)

Technical notes

- 1103 The new EC Noise Directive to protect employees at the workplace
H. LAZARUS (Germany)
- 1113 Piano soundboard: structural behavior, numerical and experimental study in the modal range
J. BERTHAUT, M.N. ICHCHOU & L. JÉZÉQUEL (France)

I Calendar

Number 12

- 1137 Acknowledgement of Referees
- 1141 Subjective and objective verifications of the inverse functions of binaural room impulse responses
J.H. WANG & C.S. PAI (Taiwan)
- 1159 A novel algorithm for underwater moving-target dynamic line enhancement
Y. GUO, J. ZHAO & H. CHEN (People's Republic of China)
- 1171 A novel approach to the acoustic characterisation of porous road surfaces
P.A. MORGAN & G.R. WATTS (UK)
- 1187 Scattering of plane acoustic waves by a transversely isotropic cylindrical shell—application to material characterization
J.-Y. KIM & J.-G. IH (South Korea)
- 1205 The influence of the visibility of the source on the subjective annoyance due to its noise
Z. BANGJUN, S. LILI & D. GUOQING (PR China)

1217 Vibration damage detection of a Timoshenko beam by spatial wavelet based approach
C.-C. CHANG & L.-W. CHEN (Taiwan)

1241 Ambient sound assessment of urban environments: field studies in two French cities
M. RAIMBAULT, C. LAVANDIER & M. BÉRENGIER (France)

I Calendar

III Contents of Volume 64